

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | F | ILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO |
|---|-----------------------|------------|-------------------------|-------------------------|-----------------|
| 10/776,777 | 10/776,777 02/10/2004 | | Norman J. MacDonald III | 10406-015003 | 3236 |
| 26161 | 7590 | 12/04/2006 | | EXAMINER | |
| FISH & RIC | | SON PC | HOGAN, JAMES SEAN | | |
| P.O. BOX 1022 MINNEAPOLIS, MN 55440-1022 | | | | ART UNIT | PAPER NUMBER |
| | | | | 3752 | |
| | | | | DATE MAILED: 12/04/2006 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | |
|--|---|--|--|--|--|--|
| · | 10/776,777 | MACDONALD ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | James S. Hogan | 3752 | | | | |
| The MAILING DATE of this communication app | l | orrespondence address | | | | |
| Period for Reply | / IO OFT TO EVENE | -> | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE | 1. lely filed the mailing date of this communication. 0 (35 U.S.C. § 133). | | | | |
| Status | | | | | | |
| 1) Responsive to communication(s) filed on 10 Fe | ebruary 2004. | | | | | |
| 2a) ☐ This action is FINAL . 2b) ☑ This | This action is FINAL . 2b)⊠ This action is non-final. | | | | | |
| • | — · · · · · · · · · · · · · · · · · · · | | | | | |
| closed in accordance with the practice under E | x parte Quayle, 1935 C.D. 11, 45 | 3 O.G. 213. | | | | |
| Disposition of Claims | • | | | | | |
| 4) ⊠ Claim(s) 45-48 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 45-48 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or | vn from consideration. | | | | | |
| Application Papers | | | | | | |
| 9) The specification is objected to by the Examine | r | | | | | |
| 10)⊠ The drawing(s) filed on 10 February 2006 is/are | | d to by the Examiner. | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | |
| Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Ex | | • • | | | | |
| Priority under 35 U.S.C. § 119 | | · | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| Attachment(s) | | | | | | |
| 1) Notice of References Cited (PTO-892) | 4) Interview Summary Paper No(s)/Mail Da | | | | | |
| Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 5) Notice of Informal Pa 6) Other: | | | | | |

Application/Control Number: 10/776,777

Art Unit: 3752

DETAILED ACTION

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Application/Control Number: 10/776,777

Art Unit: 3752

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 45 and 46 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over, respectively, claims 106, 113 120 and 122 of U.S. Patent No. 6,691,790. Although the conflicting claims are not identical, they are not patentably distinct from each other because they describe broader description of the same parts of an already patented apparatus in a different order.

Claims 47 and 48 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over, respectively, claims 34 and 44 of U.S. Patent No. 6,691,790. Although the conflicting claims are not identical, they are not patentably distinct from each other because they describe broader description of the same steps of an already patented method in a different order.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure is as follows:

- U.S. Patent No. 6,076,608 to MacDonald III et al, disclosing the invention
- U.S. Patent No. 4,880,063 to Leininger et al, disclosing a concealed sprinkler.
- U.S. Patent No. 6,152,236 to Retzloff et al, disclosing a concealed sprinkler.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James S. Hogan whose telephone number is (571) 272-4902. The examiner can normally be reached on Mon-Fri, 7:00a-4:00p EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JSH 11/24/2006

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700